

Date: Monday, 27/04/2009 12:51:21 PM  
 User: Julie Dawson

## Process Sheet

<b>Customer</b> : CU-DAR001 Dart Helicopters Services	<b>Drawing Name</b> : SHOULDER HARNESS
<b>Job Number</b> : 47534	
<b>Estimate Number</b> : 12850	
<b>P.O. Number</b> :	<b>Part Number</b> : D3579046
<b>This Issue</b> : 27/04/2009 <b>S.O. No.</b> :	<b>Drawing Number</b> : D3579 REV C
<b>Prsht Rev.</b> : NC	<b>Project Number</b> : N/A
<b>First Issue</b> : / / <b>Type</b> : PURCHASED PARTS	<b>Drawing Revision</b> : C
<b>Previous Run</b> : 47319	<b>Material</b> :
<b>Written By</b> :	<b>Due Date</b> : 12/05/2009 <b>Qty:</b> 6 <b>Um:</b> Each
<b>Checked &amp; Approved By</b> : <u>JUL 09 04 27</u>	
<b>Comment</b> : Est Rev:A New Issue 07-04-27 JLM Est Rev:B Added Decals 07-07-06 JLM	

## Additional Product

Job Number:



<b>Seq. #:</b>	<b>Machine Or Operation:</b>	<b>Description :</b>
----------------	------------------------------	----------------------

1.0	PG	PURCHASING
-----	----	------------

**Comment:** PURCHASINGIssue P/O: 8673C209/04/28 (6)

P/N: 5-01-2J0701

Possible supplier: Schoth Safty Products

Certificate of conformaty is required

2.0	5012J0701	SHOULDER HARNESS RH
-----	-----------	---------------------



**Comment:** Qty.: 1.0000 Each(s)/Unit Total : 6.0000 Each(s)  
 SHOULDER HARNESS LH

3.0	PACKAGING 1	PACKAGING RESOURCE #1
-----	-------------	-----------------------

**Comment:** PACKAGING RESOURCE #1

Receive &amp; Inspect For Transit Damage

Ensure certificate of conformity is attached

4.0	QC5	INSPECT WORK TO CURRENT STEP
-----	-----	------------------------------

**Comment:** INSPECT WORK TO CURRENT STEP

5.0	D35693	Decal
-----	--------	-------

**Comment:** Qty.: 1.0000 Each(s)/Unit Total : 6.0000 Each(s)

DECAL

Batch: 346448E 09/05/19

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

Date: Monday, 27/04/2009 12:51:21 PM  
User: Julie Dawson

## Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: SHOULDER HARNESS

Job Number: 47534

Part Number: D3579046

Job Number:



Seq. #:

Machine Or Operation:

Description :

6.0

SMALL FAB 1

SMALL & MEDIUM FAB RESOURCE 1



Comment: SMALL & MEDIUM FAB RESOURCE 1

Apply Decals as per Dwg 3579 Using 3M Marine Adhesive

AR

3M 5200

BATCH:

M108081

09/05/21 (6)

7.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

09/05/21 (46)

8.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location:

272-A

9/5/21

(62)

SD

9.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

09/05/21 (4)

Job Completion



U 09.05.22

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

**DART**

DESIGN <i>LE</i>	DRAWN BY <i>LE</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>qp</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3579	REV. C SHEET 1 OF 4
DATE 07.06.27		TITLE SHOULDER HARNESS	SCALE NTS
A	07.01.12	NEW ISSUE	
B	07.06.01	CHG REEL FOR -045/-046/-047/-048	
C	07.06.27	ADD D3569 DECALS AND NOTE 6	

## SPECIFICATION CONTROL DRAWING



### D3579-041 SHOULDER HARNESS (SHOWN) D3579-042 SHOULDER HARNESS (OPPOSITE)

#### D3579-041/-042 HARNESS ASSEMBLY NOTES:

- 1) DESCRIPTION: 3-POINT SHOULDER HARNESS WITH PUSH-BUTTON BUCKLE  
MEETS REQUIREMENTS OF TSO-C114  
CHROME HARDWARE PLATING AND BLACK WEBBING
- 2) PURCHASE INFO: P/N 5-02-9C5901 (D3579-041)  
P/N 5-02-9C0901 (D3579-042)  
SCHROTH SAFETY PRODUCTS, Pompano Beach, FL.
- 3) ALL BELTS TO BE LABELLED PER FAR 21.607 USING LAMINATED TAGS  
ADDITIONAL TEXT ON LABELS: "DART AEROSPACE LTD. P/N D3579-041/-042"
- 4) PART NUMBERS IN BRACKETS REPRESENT SUPPLIER (SCHROTH) PART NUMBERS
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) APPLY DECAL USING 3M MARINE ADHESIVE SEALANT 5200 PER QSI 015

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. *47534*


Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

**DART**

DESIGN <i>LE</i>	DRAWN BY <i>LE</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>qp</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3579	REV. C SHEET 2 OF 4
DATE 07.06.27	TITLE SHOULDER HARNESS		SCALE NTS

## SPECIFICATION CONTROL DRAWING



### D3579-043 SHOULDER HARNESS (SHOWN) D3579-044 SHOULDER HARNESS (OPPOSITE)

#### D3579-043/-044 HARNESS ASSEMBLY NOTES:

- 1) DESCRIPTION: 3-POINT SHOULDER HARNESS WITH PUSH-BUTTON BUCKLE  
MEETS REQUIREMENTS OF TSO-C114  
CHROME HARDWARE PLATING AND BLACK WEBBING
- 2) PURCHASE INFO: P/N 5-02-9L5901 (D3579-043)  
P/N 5-02-9L0901 (D3579-044)  
SCHROTH SAFETY PRODUCTS, Pompano Beach, FL.
- 3) ALL BELTS TO BE LABELLED PER FAR 21.607 USING LAMINATED TAGS  
ADDITIONAL TEXT ON LABELS: "DART AEROSPACE LTD. P/N D3579-043/-044"
- 4) PART NUMBERS IN BRACKETS REPRESENT SUPPLIER (SCHROTH) PART NUMBERS
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) APPLY DECAL USING 3M MARINE ADHESIVE SEALANT 5200 PER QSI 015

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 47534


Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

**DART**

DESIGN <i>LE</i>	DRAWN BY <i>LE</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>qp</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3579	REV. C SHEET 3 OF 4
DATE 07.06.27	TITLE SHOULDER HARNESS		SCALE NTS

## SPECIFICATION CONTROL DRAWING



### D3579-045 SHOULDER HARNESS (SHOWN) D3579-046 SHOULDER HARNESS (OPPOSITE)

#### D3579-045/-046 HARNESS ASSEMBLY NOTES:

- 1) DESCRIPTION: 3-POINT SHOULDER HARNESS WITH PUSH-BUTTON BUCKLE  
MEETS REQUIREMENTS OF TSO-C114  
CHROME HARDWARE PLATING AND BLACK WEBBING
- 2) PURCHASE INFO: P/N 5-01-2J5701 (D3579-045)  
P/N 5-01-2J0701 (D3579-046)  
SCHROTH SAFETY PRODUCTS, Pompano Beach, Fl.
- 3) ALL BELTS TO BE LABELLED PER FAR 21.607 USING LAMINATED TAGS  
ADDITIONAL TEXT ON LABELS: "DART AEROSPACE LTD. P/N D3579-045/-046"
- 4) PART NUMBERS IN BRACKETS REPRESENT SUPPLIER (SCHROTH) PART NUMBERS
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) APPLY DECAL USING 3M MARINE ADHESIVE SEALANT 5200 PER QSI 015

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 117534


Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

**DART**

DESIGN <i>LE</i>	DRAWN BY <i>LE</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>qp</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3579	REV. C SHEET 4 OF 4
DATE 07.06.27		TITLE SHOULDER HARNESS	SCALE NTS

## SPECIFICATION CONTROL DRAWING



### D3579-047 SHOULDER HARNESS (SHOWN) D3579-048 SHOULDER HARNESS (OPPOSITE)

#### D3579-047/-048 HARNESS ASSEMBLY NOTES:

- 1) DESCRIPTION: 3-POINT SHOULDER HARNESS WITH PUSH-BUTTON BUCKLE MEETS REQUIREMENTS OF TSO-C114 CHROME HARDWARE PLATING AND BLACK WEBBING
- 2) PURCHASE INFO: P/N 5-01-2M5701 (D3579-047)  
P/N 5-01-2M0701 (D3579-048)  
SCHROTH SAFETY PRODUCTS, Pompano Beach, Fl.
- 3) ALL BELTS TO BE LABELLED PER FAR 21.607 USING LAMINATED TAGS  
ADDITIONAL TEXT ON LABELS: "DART AEROSPACE LTD. P/N D3579-047/-048"
- 4) PART NUMBERS IN BRACKETS REPRESENT SUPPLIER (SCHROTH) PART NUMBERS
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) APPLY DECAL USING 3M MARINE ADHESIVE SEALANT 5200 PER QSI 015

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 47534

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



# Quality Control / Certification of Conformance

14536

## BAE SYSTEMS

BAE Systems Safety Products, Inc.

1371 SW 8th Street, Unit 3 Pompano Beach, FL 33069

Ph: 954-784-3178

Fax: 954-784-3179

### Bill To

DART Aerospace Ltd  
1270 Aberdeen St  
Hawkesbury, ON K6A 1K7  
Canada

Phone: 613-632-5200 Fax: 613-632-5246

### Ship To

DART Aerospace Ltd  
1270 Aberdeen St  
Hawkesbury, ON K6A 1K7  
Canada

### Order- Line

### Description

### Qty Certified

DAR09008-1 5-01-2J5701RevA restraint,3-  
pt,da40pax,lh,bolt-on,reel,601black,P/N  
D3579-045 6 ea

DART AEROSPACE LTD, 613-632-3336 P/N  
D3579-045

DAR09008-2 5-01-2J0701RevA restraint,3-  
pt,da40pax,rh,bolt-on,reel,601black,PND3579-  
046 6 ea

Dart Aerospace Ltd, 613-632-3336 P/N D3579-  
046

DAR09008-3 5-01-2M0701RevA restraint,3-  
pt,rh,reel,601black,P/N D3579-  
048 4 ea

DART AEROSPACE LTD, 613-632-3336 P/N  
D3579-048

Aircraft SN: N/A

Plating: N/A - Not Applicable

Plating P.O.:

Webbing: 601 Black

8673  
PO: PO00008673 09/05/12

### Notes:

DAR09008

"These commodities, technology or software were  
exported from the United States in accordance with  
the Export Administration Regulations. Diversion  
contrary to U.S. law is prohibited."

# Quality Control / Certification of Conformance

14536

## BAE SYSTEMS

**BAE Systems Safety Products, Inc.**

1371 SW 8th Street, Unit 3 Pompano Beach, FL 33069

Ph: 954-784-3178

Fax: 954-784-3179

### Certificate of Conformance

BAE Systems Safety Products Inc. hereby certifies that the item(s)/part(s) listed above has/have been manufactured from material/hardware using practices, methods, processes and manufacturing procedures set forth by applicable documentation, specification, drawings and customer requirements. We further certify that the item(s)/part(s) are manufactured in accordance with applicable drawings or specifications current on the date on which the order was placed. Test reports covering materials in these parts and indicating conformance with applicable specifications are on file and subject to examination.

Quality K. [Signature]

Date 5/5/09


Date of Manufacture 05/09

The conditions and tests required for TSO approval of this article(s) are minimum performance standards. It is the responsibility of those desiring to install the article either on or within a specific type or class of aircraft to determine that the aircraft installation conditions are within the TSO standards. If not within the TSO standards, the article may be installed only if further evaluation by the applicant documents an acceptable installation and is approved by the Administrator.

**BAE Systems Safety Products Inc.  
MATERIAL ACCEPTANCE TAG**

<b>Part Number:</b>	5-01-2J0701RevA	<b>Quantity:</b>	6.0
<b>Serial Number:</b>	05/09		
<b>Part Description:</b>	restraint, 3-pt, da40pax, rh, bolt-on, reel, 601 black, PND3579-046		
<b>P.O./W.O. #</b>	DAR09008-2	<b>Cust. PO#:</b> PO00000673	
<b>Vendor/Shop:</b>	SHOP: S&W <i>CD 9/10/12</i>		
<b>Inspector:</b>	WILLIAMS	<b>Approval</b>	SSPC QC 012
<b>Date:</b>	5/5/09		

*8/16/12*

1. Approving National Aviation Authority/Country:  FAA/UNITED STATES		2. <b>AUTHORIZED RELEASE CERTIFICATE</b> FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG				3. Form Tracking Number:  DAR09008-2	
4. Organization Name and Address:  PT 1662CE BAE Systems Safety Products, Inc. 1371 S.W. 8 <sup>th</sup> St. Unit # 3. Pompano Beach Fl, 33069						5. Work Order/Contract/Invoice Number:  DAR09008-2	
6. Item:	7. Description:	8. Part Number:	9. Eligibility:*	10. Quantity:	11. Serial/Batch Number:	12. Status/Work:	
1	Restraint, 3-pl, da40pax, rh, bolt-on reel, 601 black	5-01-2J0701RevA	N/A	6	Date Mfg.: 05/09	NEW	
13. Remarks:  EXPORT TO CANADA  <div style="text-align: right; font-size: 2em; margin-top: 50px;">808/5/12</div>							
14. Certifies the items identified above were manufactured in conformity to:  <input checked="" type="checkbox"/> Approved design data and are in a condition for safe operation. <input type="checkbox"/> Non-approved design data specified in Block 13.				19. <input type="checkbox"/> 14 CFR 43.9 Return to Service <input type="checkbox"/> Other regulation specified in Block 13  Certifies that unless otherwise specified in block 13, the work identified in Block 12 and described in Block 13 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.			
15. Authorized Signature:  		16. Approval/Authorization No.:  DARF-500792-16		20. Authorized Signature:		21. Approval/Certificate No.:	
17. Name (Typed or Printed):  ARUN KAPUR		18. Date (m/d/y): May 16 / 2009		22. Name (Typed or Printed):		23. Date (m/d/y):	
<b>User/Installer Responsibilities</b>							
It is important to understand that the existence of this document alone does not automatically constitute authority to install the part/component/assembly.  Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts parts/components/assemblies from the airworthiness authority of the country specified in Block 1.  Statements in Blocks 14 and 19 do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.							

**Part II — Application for Approval of Aeronautical Parts (Complete items 12-20)**

12. Name and address of exporter BAE Systems Safety Products, Inc. 1371 S.W. 8 <sup>th</sup> St. Unit # 3 Pompano Beach, FL 33069	13. Name and address of foreign purchaser DART AEROSPACE Ltd. 1270 Aberdeen St. Hawksbury, Ontario K6A 1K7 Canada	14. Country of destination Canada
15. Parts are eligible for installation on _____	Make and model Class I product Various	FAA Spec. No. or T.C TSO-C114

16. The parts are (Check One) ☒ **NEW** ☐ **NEWLY OVERHAULED**


17. The parts are described (Check One)  
☒ Below by name, part number and quantity ☐ On the attached invoice or packing sheet, by name, part number and quantity \_\_\_\_\_  
 Invoice/packing sheet No.  
14536  
DAR09008

Name (a)	Part number (b)	Quantity (c)
Restraint,3-pt.,da40pax,lh,bolt-on,reel,601 black	5-01-2J5701RevA	6
Restraint,3-pt.,da40pax,rh,bolt-on,reel,601 black	5-01-2J0701RevA	6
Restraint,3-pt.,rh,reel,601 black	5-01-2M0701RevA	4

18. Have applicable special requirements of the importing country been complied with? ☒ **YES** ☐ **NO** (Explain in item 10 "Remarks")

19. Preservation and packaging methods used to protect parts against corrosion and damage (List Spec. No. or Title):  
 Packed per ATA Spec. 300  
 Effective duration of above methods: One shipment only

20. Exporter's Certification — I certify that the foregoing statements are true and that the parts described herein are airworthy, conform to FAA approved design data, are in condition for safe operation except as may be noted in item 10 "Remarks".

Signature of applicant or authorized representative <b>MARC MITCHELL</b> 	Title <b>Q/C MANAGER</b>	Date <b>5/6/2009</b>
---	-----------------------------	-------------------------

**Part III — Approval (FOR FAA USE ONLY)**

21. It is considered that the product(s) described in Part I or Part II is (are) airworthy and conform(s) to pertinent requirements except as noted in Item 10. (Check one) ☐ Part I ☐ Part II

Signature	Number	Date
-----------	--------	------

(Check one) ☐ DMIR ☐ DAR ☐ DOA ☐ ODAR ☐ FAA Inspector

22. Give quantity of approval tags, FAA Form 8130-3, issued for the parts described in Part II. \_\_\_\_\_ Quantity 1 each

23. EXPORT FILE SPOT-CHECKED BY:

FAA Supervising Inspector	D.O. No.	Date
---------------------------	----------	------